


PRODUCT INFORMATION

EPIC® SOLAR 4 Splitter

Connector system for weatherproof cabling of photovoltaic systems

Info

4 mm connector system with double hook Splitter for parallel connection of photovoltaic modules



Application range

Photovoltaic plants Crystalline and thin-film constructions Solartracker

Product features Mateable with EPIC® SOLAR 4 THIN, EPIC® SOLAR 4PLUS, EPIC® SOLAR 4

Last Update (19.04.2022) ©2022 Lapp Group - Technical changes reserved Product Management www.lappkabel.de You can find the current technical data in the corresponding data sheet. PN 0456 / 02_03.16



EPIC® SOLAR 4 Splitter

Splitter MFF 1x connection male, 2x connection female Splitter MFF 1x connection female, 2x connection male

Technical Data	
Classification ETIM 5:	ETIM 5.0 Class-ID: EC002635 ETIM 5.0 Class-Description: Circular connector (industrial connector)
Classification ETIM 6:	ETIM 6.0 Class-ID: EC002635 ETIM 6.0 Class-Description: Circular connector (industrial connector)
Rated voltage (V):	1000 V AC/DC
Rated impulse voltage:	8 kV
Rated current (A):	30 A
Pollution degree:	3
Protection rating:	IP65/IP67
Cycle of mechanical operation:	100
Protection class:	II
Temperature range:	-40 °C +85 °C

Note

Photographs and graphics are not to scale and do not represent detailed images of the respective products. Prices are net prices without VAT and surcharges. Sale to business customers only.

-	Article number	Article designation	PU
	EPIC® SOLAR 4 Splitter		
-	44428226	EPIC [®] SOLAR 4 Splitter MFF	25
	44428227	EPIC [®] SOLAR 4 Splitter FMM	25

Last Update (19.04.2022) ©2022 Lapp Group - Technical changes reserved Product Management www.lappkabel.de You can find the current technical data in the corresponding data sheet. PN 0456 / 02_03.16 **EPIC® SOLAR 4 Splitter**



PRODUCT INFORMATION

EPIC® SOLAR 4 Splitter

